

```
<?xml version="1.0" encoding="UTF-8"?>
<!-- Example to illustrate the use of the Standard Elevator Information Schema -->
<!-- This XML document is one of stream sent to remote performance monitoring and display terminal,
via the Internet. The monitor application runs within a standard Web browser and polls each of the
large number of Group Controllers being monitored every 5 minutes -->
<!-- (c) Jonathan Beebe, February 2003 -->
<LiftInformation xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:noNamespaceSchemaLocation="LiftInfo.xsd">
  <Demand DemandType="Call">
    <Period>1:0:0</Period>
    <Distribution>Gaussian</Distribution>
    <MaxDemandRate>30</MaxDemandRate>
    <Sample SequenceNumber="1">
      <Period>0:5:0</Period>
      <Distribution>Constant</Distribution>
      <FloorRates>
        <FloorSetDemandRate>
          <DestinationRate>
            <DirectionRate Rate="2" Direction="Down"/>
          </DestinationRate>
          <Floors>
            <Floor>10</Floor>
          </Floors>
        </FloorSetDemandRate>
        <FloorSetDemandRate>
          <DestinationRate>
            <DirectionRate Rate="3" Direction="Down"/>
            <DirectionRate Rate="0" Direction="Up"/>
          </DestinationRate>
          <Floors>
            <Floor>9</Floor>
          </Floors>
        </FloorSetDemandRate>
        <FloorSetDemandRate>
          <DestinationRate>
            <DirectionRate Rate="1" Direction="Down"/>
            <DirectionRate Rate="1" Direction="Up"/>
          </DestinationRate>
          <Floors>
            <Floor>8</Floor>
          </Floors>
        </FloorSetDemandRate>
        <FloorSetDemandRate>
          <DestinationRate>
            <DirectionRate Rate="1" Direction="Down"/>
            <DirectionRate Rate="1" Direction="Up"/>
          </DestinationRate>
          <Floors>
            <Floor>7</Floor>
          </Floors>
        </FloorSetDemandRate>
        <FloorSetDemandRate>
          <DestinationRate>
            <DirectionRate Rate="0" Direction="Down"/>
            <DirectionRate Rate="0" Direction="Up"/>
          </DestinationRate>
        </FloorSetDemandRate>
      </FloorRates>
    </Sample>
  </Demand>
</LiftInformation>
```

```
<Floors>
  <Floor>6</Floor>
</Floors>
</FloorSetDemandRate>
<FloorSetDemandRate>
  <DestinationRate>
    <DirectionRate Rate="2" Direction="Down"/>
    <DirectionRate Rate="3" Direction="Up"/>
  </DestinationRate>
  <Floors>
    <Floor>5</Floor>
  </Floors>
</FloorSetDemandRate>
<FloorSetDemandRate>
  <DestinationRate>
    <DirectionRate Rate="1" Direction="Down"/>
    <DirectionRate Rate="1" Direction="Up"/>
  </DestinationRate>
  <Floors>
    <Floor>4</Floor>
  </Floors>
</FloorSetDemandRate>
<FloorSetDemandRate>
  <DestinationRate>
    <DirectionRate Rate="0" Direction="Down"/>
    <DirectionRate Rate="3" Direction="Up"/>
  </DestinationRate>
  <Floors>
    <Floor>3</Floor>
  </Floors>
</FloorSetDemandRate>
<FloorSetDemandRate>
  <DestinationRate>
    <DirectionRate Rate="2" Direction="Down"/>
    <DirectionRate Rate="4" Direction="Up"/>
  </DestinationRate>
  <Floors>
    <Floor>2</Floor>
  </Floors>
</FloorSetDemandRate>
<FloorSetDemandRate>
  <DestinationRate>
    <DirectionRate Rate="1" Direction="Up"/>
  </DestinationRate>
  <Floors>
    <Floor>1</Floor>
  </Floors>
</FloorSetDemandRate>
</FloorRates>
<ResponseQuality>
  <ExpectedResponseTime>20</ExpectedResponseTime>
  <AverageResponseTime>25.54</AverageResponseTime>
  <Thresholds ThresholdConstant="3"/>
</ResponseQuality>
</Sample>
</Demand>
```

```
<Event Time="14:23:15" Date="2002-08-13" Source="Deardon Court-CentreBlock-A">  
  <ServiceEvent State="InService">  
    <Reason>InService</Reason>  
  </ServiceEvent>  
</Event>  
</LiftInformation>
```